

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

V-1000 Various Allergens				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	P-027A	5.0 pet	Prilocaine hydrochloride				
2	E-006	1.0 pet	EDTA				
3	C-004	0.5 aq	Chlorhexidine diacetate				
4	C-016	5.0 pet	Coal tar				
5	P-003	100.0pet	White Petrolatum (Penreco Snow White)				
6	C-012	5.0 pet	Chlorquinaldol				
7	M-012	3.0 pet	Methyl paraben / (Methyl-4-hydroxybenzoate)				
8	E-010	3.0 pet	Ethyl paraben / (Ethyl-4-hydroxybenzoate)				
9	P-020	3.0 pet	Propyl paraben / (Propyl-4-hydroxybenzoate)				
10	B-020	3.0 pet	Butylparaben / (Butyl-4-hydroxybenzoate)				
15	P-016	1.0 pet	Procaine hydrochloride				
16	D-005A	5.0 pet	Dibucaine hydrochloride				
19	MX-13	10.0 pet	Caine mix II				
22	T-025A	5.0 pet	Tetracaine hydrochloride				
24	A-020	5.0 pet	Amylocaine hydrochloride				
25	L-002A	5.0 pet	Lidocaine				
26	MX-04	0.6 pet	Black rubber mix				
27	MX-02	6.0 pet	Quinoline mix				
29	D-066B	0.01 pet	Dimethyl fumarate				
30	S-016	100.soft	Softisan 649				
31	M-035A	0.02 aq	METHYLISOTHIAZOLINONE				
34	D-021	1.0 pet	Diphenhydramine hydrochloride				
36	S-018	0.25 aq	Sodium Lauryl Sulfate				
38	C-009D	0.02% pet	C-009D METHYLISOTHIAZOLINONE+METHYLCHLOROISOTHIAZOLINONE				
40	M-035D	0.2% pet	M-035D METHYLISOTHIAZOLINONE				