

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____ ID#: _____

Panel Placement: _____ (date/time) Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____ Read Date #3: _____ Read Date #4: _____

S-1000 European Baseline Series				Readings			
#	Article#	Veh/Conc	Description	#1	#2	#3	#4
1	P-014A	0.5 pet	Potassium dichromate				
2	P-006	1.0 pet	p-Phenylenediamine (PPD)				
3	MX-01	1.0 pet	Thiuram mix				
4	N-001	20.0 pet	Neomycin sulfate				
5	C-017A	1.0 pet	Cobalt(II) chloride hexahydrate				
6	MX-19	10.0 pet	Caine mix III				
7	N-002A	5.0 pet	Nickelsulfate hexahydrate				
8	H-010	2.0 pet	HEMA (2-Hydroxyethyl methacrylate)				
9	C-020	20.0 pet	Colophonium / (Colophony)				
10	MX-03C	16.0 pet	Paraben Mix				
11	I-004	0.1 pet	N-Isopropyl-N-phenyl--4-phenylenediamine				
12	W-001	30.0 pet	Lanolin alcohol / (Wool alcohols)				
13	MX-05A	2.0 pet	Mercapto mix				
14	E-002	1.0 pet	Epoxy resin Bisphenol A				
15	B-001	25.0 pet	Myroxylon pereirae resin / (Balsam Peru)				
16	B-024	1.0 pet	4-tert-Butylphenolformaldehyde resin				
17	M-003A	2.0 pet	2-Mercaptobenzothiazole (MBT)				
18	F-002B	2.0 aq	Formaldehyde				
19	MX-07	8.0 pet	Fragrance mix				
20	MX-18	0.1 pet	Sesquiterpene lactone mix				
21	C-007A	1.0 pet	Quaternium-15 (Dowicil 200) / (1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride)				
22	P-022	10.0 pet	Propolis				
23	C-009B	0.02 aq	Methylisothiazolinone + Methylchlorisothiazolinone / (Cl+-Methylisothiazolinone (Kathon CG 200ppm))				
24	B-033B	0.01 pet	Budesonide				
25	T-031B	0.1 pet	Tixocortol-21-pivalate				
26	D-049E	0.5 pet	Methyldibromo glutaronitrile (MDBGN)				
27	MX-25	14.0 pet	Fragrance Mix II				
28	L-003	5.0 pet	Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde (Lyral)				
29	M-035B	0.2 aq	METHYLISOTHIAZOLINONE				
30	MX-30	6.6 pet	Textile dye mix				