

# PATCH TESTING : PATIENT TEST RESULTS



Patient Name: \_\_\_\_\_ ID#: \_\_\_\_\_

Panel Placement: \_\_\_\_\_ (date/time) Panel Removal: \_\_\_\_\_ (date/time)

Read Date #1: \_\_\_\_\_ Read Date #2: \_\_\_\_\_ Read Date #3: \_\_\_\_\_ Read Date #4: \_\_\_\_\_

TF-1000 Textile Colours & Finish Series (2025 Edition)				Readings			
#	Art.#	Conc./Veh.	Description	#1	#2	#3	#4
1	D-036	1% Pet	Disperse Yellow 3				
2	D-032	1% Pet	DISPERSE ORANGE 3				
3	D-034	1% Pet	Disperse Red 1				
4	D-035	1% Pet	DISPERSE RED 17				
5	A-028	5% Pet	Acid Red 359				
6	D-026	1% Pet	DISPERSE BLUE 3				
7	D-027	1% Pet	Disperse Blue 35				
8	D-051	5% Pet	Direct Orange 34				
9	D-052	4.5% Aq	Dimethyl dihydroxy ethylene urea				
10	D-050	5% Aq	Dimethylol dihydroxy ethylene urea modified				
11	D-040	0.25% Pet	Disperse Blue 106				
12	A-027	5% Pet	Acid Red 118				
13	U-001	10% Pet	Urea formaldehyde resin				
14	M-001	7% Pet	Melamine formaldehyde				
15	R-011B	1% Pet	Reactive Violet 5				
16	D-031	1% Pet	Disperse Orange 1				
17	A-026	5% Pet	Acid Yellow 61				
18	D-030	1% Pet	Disperse Brown 1				
19	D-037	1% Pet	Disperse Yellow 9				
20	D-041	1% Pet	Disperse Blue 124				
21	B-026	1% Pet	Basic Red 46				
22	R-004B	1% Pet	Reactive Black 5				
23	R-005B	1% Pet	Reactive Blue 21				
24	Mx-26	1% Pet	Disperse Blue mix 106 / 124				
25	R-007B	1% Pet	Reactive Orange 107				

# PATCH TESTING : PATIENT TEST RESULTS



Patient Name: \_\_\_\_\_ ID#: \_\_\_\_\_

Panel Placement: \_\_\_\_\_ (date/time) Panel Removal: \_\_\_\_\_ (date/time)

Read Date #1: \_\_\_\_\_ Read Date #2: \_\_\_\_\_ Read Date #3: \_\_\_\_\_ Read Date #4: \_\_\_\_\_

TF-1000 Textile Colours & Finish Series (2025 Edition)				Readings			
#	Art.#	Conc./Veh.	Description	#1	#2	#3	#4
26	R-008B	1% Pet	Reactive Red 123				
27	Mx-32	1.6% Pet	Textile dye mix II				
28	R-010B	1% Pet	Reactive Red 228				