



## Safety Data Sheet

acc. to OSHA HCS


Printing date 10/28/2025

Reviewed on 12/14/2022

### 1 Identification

- **Product identifier**
- **Trade name:** Methyl methacrylate 2.0% in petrolatum
- **Article number:** M-013
- **Application of the substance / the mixture** Diagnosis of contact allergy
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Chemotechnique MB Diagnostics AB  
Modemgatan 9  
235 39 VELLINGE  
SWEDEN
- **Information department:** Product safety department.
- **Emergency telephone number:**  
8.00 to 16.00 (CET): +46 (0)40 466 077  
Local emergency services during non-office hours

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Sensitization - Skin 1 H317 May cause an allergic skin reaction.
- 
- **Label elements**
  - **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
  - **Hazard pictograms**  
  
GHS07
  - **Signal word** Warning
  - **Hazard-determining components of labeling:**  
methyl methacrylate
  - **Hazard statements**  
May cause an allergic skin reaction.
  - **Precautionary statements**  
Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 1)

Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves.  
If on skin: Wash with plenty of water.  
If skin irritation or rash occurs: Get medical advice/attention.  
Specific treatment (see on this label).  
Wash contaminated clothing before reuse.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 1  
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0  
FIRE 1 Fire = 1  
REACTIVITY 0 Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

80-62-6	methyl methacrylate	2.0%
---------	---------------------	------

· **Non-hazardous ingredients**

8009-03-8	Petrolatum	98.0%
-----------	------------	-------

**4 First-aid measures**

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

80-62-6	methyl methacrylate	17 ppm
---------	---------------------	--------

· **PAC-2:**

80-62-6	methyl methacrylate	120 ppm
---------	---------------------	---------

(Contd. on page 4)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 3)

· **PAC-3:**

80-62-6 methyl methacrylate

570 ppm

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
FOR EXTERNAL/TOPICAL USE ONLY.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store at temperatures between 2 °C and 8 °C
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from sunlight.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**80-62-6 methyl methacrylate**

PEL	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm
REL	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 100 ppm Long-term value: 50 ppm DSEN, A4

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

· <b>Form:</b>	Solidified mass
· <b>Color:</b>	Whitish
· <b>Odor:</b>	Unpleasant

(Contd. on page 6)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 5)

· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not applicable.
· <b>Change in condition</b> <b>Melting point/Melting range:</b>	51.6–57.2 °C (124.9–135 °F)
<b>Boiling point/Boiling range:</b>	359–732 °C (678.2–1,349.6 °F)
· <b>Flash point:</b>	259–277 °C (498.2–530.6 °F)
· <b>Flammability:</b>	Not determined.
· <b>Auto igniting:</b>	>290 °C (>554 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b> <b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	<0.013 hPa (<0 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.8714 g/cm <sup>3</sup> (7.27183 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with</b> <b>Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	0.77815
· <b>Viscosity:</b> <b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>Solvent content:</b> <b>VOC content:</b>	0.00 %
<b>Solids content:</b>	98.0 %

(Contd. on page 7)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 6)

· **Other information** No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**80-62-6 methyl methacrylate**

Oral	LD50	7,872 mg/kg (rat)
------	------	-------------------

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

80-62-6	methyl methacrylate	3
---------	---------------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 8)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 7)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- |                                  |               |
|----------------------------------|---------------|
| · <b>UN-Number</b>               |               |
| · <b>DOT, IMDG, IATA</b>         | not regulated |
| · <b>UN proper shipping name</b> |               |
| · <b>DOT, IMDG, IATA</b>         | not regulated |

(Contd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 8)

· <b>Transport hazard class(es)</b>	
· <b>DOT, ADN, IMDG, IATA</b>	
· <b>Class</b>	not regulated
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	not regulated
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	not regulated

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

80-62-6 | methyl methacrylate

· **TSCA (Toxic Substances Control Act):**

80-62-6 | methyl methacrylate

ACTIVE

· **Hazardous Air Pollutants**

80-62-6 | methyl methacrylate

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 10)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 9)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

80-62-6 methyl methacrylate

E, NL

· **TLV (Threshold Limit Value)**

80-62-6 methyl methacrylate

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

methyl methacrylate

· **Hazard statements**

May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 11)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/28/2025

Reviewed on 12/14/2022

**Trade name: Methyl methacrylate 2.0% in petrolatum**

(Contd. of page 10)

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product safety department.

- **Contact:** -

- **Date of preparation / last revision** 12/14/2022 / 5.0

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Sensitization - Skin 1: Skin sensitisation – Category 1