

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

### 1 Identification

- **Product identifier**
- **Trade name:** Reactive Black 5 1.0% in petrolatum
- **Article number:** R-004B
- **Application of the substance / the mixture** Diagnosis of contact allergy
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Chemotechnique MB Diagnostics AB  
Modemgatan 9  
235 39 VELLINGE  
SWEDEN
- **Information department:** Product safety department.
- **Emergency telephone number:**  
8.00 to 16.00 (CET): +46 (0)40 466 077  
Local emergency services during non-office hours

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Sensitization - Skin 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**  
  
GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**  
tetrasodium 4-amino-5-hydroxy-3,6-bis[[4-[[2-(sulphonatooxy)ethyl]sulphonyl]phenyl]azo]  
naphthalene-2,7-disulphonate

(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 1)

· **Hazard statements**


May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves.  
[In case of inadequate ventilation] wear respiratory protection.  
If on skin: Wash with plenty of water.  
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.  
If skin irritation or rash occurs: Get medical advice/attention.  
Specific treatment (see on this label).  
If experiencing respiratory symptoms: Call a poison center/doctor.  
Wash contaminated clothing before reuse.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = \*0  
Fire = 0  
Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

|            |                                                                                                                     |      |
|------------|---------------------------------------------------------------------------------------------------------------------|------|
| 17095-24-8 | tetrasodium 4-amino-5-hydroxy-3,6-bis[[4-[[2-(sulphonatooxy)ethyl]sulphonyl]phenyl]azo]naphthalene-2,7-disulphonate | 1.0% |
|------------|---------------------------------------------------------------------------------------------------------------------|------|

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 2)

· **Non-hazardous ingredients**

8009-03-8 Petrolatum

99.0%

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.

· **Environmental precautions:** No special measures required.

· **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 3)

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

None of the ingredients is listed.

· **PAC-2:**

None of the ingredients is listed.

· **PAC-3:**

None of the ingredients is listed.

### 7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

FOR EXTERNAL/TOPICAL USE ONLY.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store at temperatures between 2 °C and 8 °C

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Protect from sunlight.

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

Trade name: Reactive Black 5 1.0% in petrolatum

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

|               |                 |
|---------------|-----------------|
| <b>Form:</b>  | Solidified mass |
| <b>Color:</b> | Black           |

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

Trade name: Reactive Black 5 1.0% in petrolatum

(Contd. of page 5)

|                                                   |                                               |
|---------------------------------------------------|-----------------------------------------------|
| · <b>Odor:</b>                                    | Odorless                                      |
| · <b>Odor threshold:</b>                          | Not determined.                               |
| · <b>pH-value:</b>                                | Not applicable.                               |
| · <b>Change in condition</b>                      |                                               |
| <b>Melting point/Melting range:</b>               | 51.6–57.2 °C (124.9–135 °F)                   |
| <b>Boiling point/Boiling range:</b>               | Undetermined.                                 |
| · <b>Flash point:</b>                             | Not applicable.                               |
| · <b>Flammability:</b>                            | Not determined.                               |
| · <b>Auto igniting:</b>                           | >290 °C (>554 °F)                             |
| · <b>Decomposition temperature:</b>               | Not determined.                               |
| · <b>Ignition temperature:</b>                    | Product is not selfigniting.                  |
| · <b>Danger of explosion:</b>                     | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                        |                                               |
| <b>Lower:</b>                                     | Not determined.                               |
| <b>Upper:</b>                                     | Not determined.                               |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | <0.013 hPa (<0 mm Hg)                         |
| · <b>Density at 20 °C (68 °F):</b>                | 0.87 g/cm <sup>3</sup> (7.26015 lbs/gal)      |
| · <b>Relative density</b>                         | Not determined.                               |
| · <b>Vapor density</b>                            | Not applicable.                               |
| · <b>Evaporation rate</b>                         | Not applicable.                               |
| · <b>Solubility in / Miscibility with</b>         |                                               |
| <b>Water:</b>                                     | Insoluble.                                    |
| · <b>Partition coefficient (n-octanol/water):</b> | 0.77815                                       |
| · <b>Viscosity:</b>                               |                                               |
| <b>Dynamic:</b>                                   | Not applicable.                               |
| <b>Kinematic:</b>                                 | Not applicable.                               |
| · <b>Solvent content:</b>                         |                                               |
| <b>VOC content:</b>                               | 0.00 %                                        |
| <b>Solids content:</b>                            | 100.0 %                                       |

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 6)

· **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** No irritant effect.
  - **on the eye:** No irritating effect.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 7)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                  |               |
|----------------------------------|---------------|
| · <b>UN-Number</b>               |               |
| · <b>DOT, IMDG, IATA</b>         | not regulated |
| · <b>UN proper shipping name</b> |               |
| · <b>DOT, IMDG, IATA</b>         | not regulated |

(Contd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 8)

- |                                                                                  |                 |
|----------------------------------------------------------------------------------|-----------------|
| · <b>Transport hazard class(es)</b>                                              |                 |
| · <b>DOT, ADN, IMDG, IATA</b>                                                    |                 |
| · <b>Class</b>                                                                   | not regulated   |
| · <b>Packing group</b>                                                           |                 |
| · <b>DOT, IMDG, IATA</b>                                                         | not regulated   |
| · <b>Environmental hazards:</b>                                                  | Not applicable. |
| · <b>Special precautions for user</b>                                            | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                                  | not regulated   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

|            |                                                                                                                     |        |
|------------|---------------------------------------------------------------------------------------------------------------------|--------|
| 17095-24-8 | tetrasodium 4-amino-5-hydroxy-3,6-bis[[4-[[2-(sulphonatooxy)ethyl]sulphonyl]phenyl]azo]naphthalene-2,7-disulphonate | ACTIVE |
|------------|---------------------------------------------------------------------------------------------------------------------|--------|

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

(Contd. on page 10)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 9)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

tetrasodium 4-amino-5-hydroxy-3,6-bis[[4-[[2-(sulphonatooxy)ethyl]sulphonyl]phenyl]azo] naphthalene-2,7-disulphonate

· **Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves.  
[In case of inadequate ventilation] wear respiratory protection.  
If on skin: Wash with plenty of water.  
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

(Contd. on page 11)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 01/09/2024

**Trade name: Reactive Black 5 1.0% in petrolatum**

(Contd. of page 10)

If skin irritation or rash occurs: Get medical advice/attention.  
Specific treatment (see on this label).  
If experiencing respiratory symptoms: Call a poison center/doctor.  
Wash contaminated clothing before reuse.  
Dispose of contents/container in accordance with local/regional/national/international regulations.  
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department.

· **Contact:** -

· **Date of preparation / last revision** 01/09/2024 / 3.0

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Sensitization - Respiratory 1: Respiratory sensitisation – Category 1

Sensitization - Skin 1: Skin sensitisation – Category 1

· **\* Data compared to the previous version altered.**