

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

1 Identification

- **Product identifier**
- **Trade name:** Titanium 10.0% in petrolatum
- **Article number:** T-042
- **Application of the substance / the mixture** Diagnosis of contact allergy
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Chemotechnique MB Diagnostics AB
Modemgatan 9
235 39 VELLINGE
SWEDEN
- **Information department:** Product safety department.
- **Emergency telephone number:**
8.00 to 16.00 (CET): +46 (0)40 466 077
Local emergency services during non-office hours

2 Hazard(s) identification

- **Classification of the substance or mixture**

Self-heating substances and mixtures 1	H251 Self-heating: may catch fire.
Substances and mixtures which, in contact with water, emit flammable gases 1	H260 In contact with water releases flammable gases, which may ignite spontaneously.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02

- **Signal word** Danger
- **Hazard statements**
Self-heating: may catch fire.
In contact with water releases flammable gases, which may ignite spontaneously.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 1)

· **Precautionary statements**

Do not allow contact with water.
 Handle under inert gas. Protect from moisture.
 Keep cool. Protect from sunlight.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
 In case of fire: Use CO₂, sand, extinguishing powder to extinguish.
 Store in a dry place. Store in a closed container.
 Maintain air gap between stacks/pallets.
 Store bulk masses greater than 10 lbs at temperatures not exceeding 150°F.
 Store away from other materials.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0
 Fire = 4
 Reactivity = 2

The substance demonstrates unusual reactivity with water.

· **HMIS-ratings (scale 0 - 4)**



Health = 0
 Fire = 4
 Reactivity = 2

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7440-32-6	titanium	10.0%
-----------	----------	-------

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 2)

· **Non-hazardous ingredients**

8009-03-8 Petrolatum

90.0%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Extinguishing powder. Do not use water.
CO2. Do not use water.
Sand. Do not use water.
Special powder for metal fires. Do not use water.
CO2, sand, extinguishing powder. Do not use water.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** No special measures required.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7440-32-6 titanium

30 mg/m³

· **PAC-2:**

7440-32-6 titanium

330 mg/m³

· **PAC-3:**

7440-32-6 titanium

2,000 mg/m³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** FOR EXTERNAL/TOPICAL USE ONLY.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store at temperatures between 2 °C and 8 °C
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from sunlight.
- **Specific end use(s)** No further relevant information available.

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 4)

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Not required.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solidified mass

Color: Grey

· Odor: undistinguishable

· Odor threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 359–732 °C (678.2–1,349.6 °F)

· Flash point: 259–277 °C (498.2–530.6 °F)

· Flammability: Contact with water liberates extremely flammable gases.

· Auto igniting: >290 °C (>554 °F)

· Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapor pressure at 20 °C (68 °F): >0 hPa

· Density at 20 °C (68 °F): 1.234 g/cm³ (10.29773 lbs/gal)

· Bulk density: ~909 kg/m³

· Relative density: Not determined.

· Vapor density: Not applicable.

· Evaporation rate: Not applicable.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 6)

· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC content:	0.00 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Contact with water releases flammable gases.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 7)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Not hazardous for water.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

—US—

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 8)

14 Transport information

· UN-Number	UN2546
· DOT, IMDG, IATA	
· UN proper shipping name	Titanium powder, dry mixture
· DOT, IATA	TITANIUM POWDER, DRY mixture
· IMDG	
· Transport hazard class(es)	
· DOT	
	
· Class	4.2 Substances liable to spontaneous combustion
· Label	4.2
· IMDG, IATA	
	
· Class	4.2 Substances liable to spontaneous combustion
· Label	4.2
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Substances liable to spontaneous combustion
· Hazard identification number (Kemler code):	49
· EMS Number:	F-G,S-M
· Segregation groups	(SGG7) Heavy metals and their salts (including their organometallic compounds), (SGG15) powdered metals
· Stowage Category	D
· Handling Code	H1 Keep as dry as reasonably practicable
· Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 9)

·	minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 2546 TITANIUM POWDER, DRY MIXTURE, 4.2, II

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

7440-32-6 titanium

ACTIVE

- **Hazardous Air Pollutants**

None of the ingredients is listed.

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 10)

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

· **Signal word** Danger

· **Hazard statements**

Self-heating: may catch fire.

In contact with water releases flammable gases, which may ignite spontaneously.

· **Precautionary statements**

Do not allow contact with water.

Handle under inert gas. Protect from moisture.

Keep cool. Protect from sunlight.

Wear protective gloves/protective clothing/eye protection/face protection.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use CO₂, sand, extinguishing powder to extinguish.

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/29/2025

Reviewed on 03/11/2024

Trade name: Titanium 10.0% in petrolatum

(Contd. of page 11)

Store in a dry place. Store in a closed container.
Maintain air gap between stacks/pallets.
Store bulk masses greater than 10 lbs at temperatures not exceeding 150°F.
Store away from other materials.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department.

· **Contact:** -

· **Date of preparation / last revision** 03/11/2024 / 6.0

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Self-heating substances and mixtures 1: Self-heating substances and mixtures – Category 1

Substances and mixtures which, in contact with water, emit flammable gases 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

· *** Data compared to the previous version altered.**